Pain 120 (2006) 328–330

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 120 (2006)

Ainsworth, L., Budelier, K., Clinesmith, M., Fiedler, A., Landstrom, R., Leeper, B.J., Moeller, L., Mutch, S., O'Dell, K., Ross, J., Radhakrishnan, R., Sluka, K.A., Transcutaneous electrical nerve stimulation (TENS) reduces chronic hyperalgesia induced by muscle inflammation, **120** 182
Albrecht, P.J., Hines, S., Eisenberg, E., Pud, D., Finlay, D.R., Connolly, M.K., Paré, M., Davar, G., Rice, F.L., Pathologic alterations of cutaneous innervation and vasculature in affected limbs from patients with complex regional pain syndrome, **120** 244
Ambalavanar, R., Moritani, M., Moutanni, A., Gangula, P., Yallampalli, C., Dessem, D., Deep tissue inflammation upregulates neuropeptides and evokes nociceptive behaviors which are modulated by a neuropeptide antagonist, **120** 53
Apkarian, A.V., see Small, D.M., **120** 124
Arendt-Nielsen, L., see Gibson, W., **120** 113
Athanasos, P., Smith, C.S., White, J.M., Somogyi, A.A., Bochner, F., Ling, W., Methadone maintenance patients are cross-tolerant to the antinociceptive effects of very high plasma morphine concentrations, **120** 267
Aziz, T.Z., see Owen, S.L.F., **120** 202

Bailey, J.M., see Odrcich, M., **120** 207
Bandler, R., see Henderson, L.A., **120** 286
Baron, R., see Wasner, G., **120** 325
Baron, R., see Jänig, W., **120** 227
Beitz, A., see Vit, J.-P., **120** 188
Belmonte, C., see Roza, C., **120** 24
Bennett, G.J., see Villemure, C., **120** 213
Bingel, U., Lorenz, J., Schoell, E., Weiller, C., Büchel, C., Mechanisms of placebo analgesia: rACC recruitment of a subcortical antinociceptive network, **120** 8
Bochner, F., see Athanasos, P., **120** 267
Boeke, A.J.P., see Kuijpers, T., **120** 276
Bouter, L.M., see Kuijpers, T., **120** 276
Bowsher, D., Response to Drs. Wasner and Baron, **120** 325
Büchel, C., see Bingel, U., **120** 8
Budelier, K., see Ainsworth, L., **120** 182
Bushnell, M.C., see Villemure, C., **120** 213
Butler, S.H., Response to Dr Gorback, **120** 221
Butler, S.H., Response to Dr De Córdoba et al., **120** 223

Cahill, C.M., see Odrcich, M., **120** 207
Camu, F., see Shi, L., **120** 307
Casey, K.L., Laser guns and hot plates revisited, **120** 326
Chambers, C.T., see Stanford, E.A., **120** 16
Chang, Y., see Oaklander, A.L., **120** 235
Chessell, I., see De Alba, J., **120** 170
Clayton, N.M., see De Alba, J., **120** 170
Clinesmith, M., see Ainsworth, L., **120** 182
Collins, S.D., see De Alba, J., **120** 170
Colthup, P., see De Alba, J., **120** 170
Connolly, M.K., see Albrecht, P.J., **120** 244
Craig, K.D., see Stanford, E.A., **120** 16
Crombez, G., see De Vlieger, P., **120** 138

Darstein, M., see Lucifora, S., **120** 97
Davar, G., see Albrecht, P.J., **120** 244
Davis, K.D., see Seminowicz, D.A., **120** 297
De Alba, J., Clayton, N.M., Collins, S.D., Colthup, P., Chessell, I., Knowles, R.G., GW274150, a novel and highly selective inhibitor of the inducible isoform of nitric oxide synthase (iNOS), shows analgesic effects in rat models of inflammatory and neuropathic pain, **120** 170
De Córdoba, J.L., Pérez, M.À., Fontserè, J., Spinal injections: Getting hold of the wrong end of the stick, **120** 221
De Vlieger, P., Crombez, G., Eccleston, C., Worrying about chronic pain. An examination of worry and problem solving in adults who identify as chronic pain sufferers, **120** 138
Dessem, D., see Ambalavanar, R., **120** 53

Eccleston, C., see De Vlieger, P., **120** 138
Eikmeier, L., see Vit, J.-P., **120** 188
Eisenberg, E., see Albrecht, P.J., **120** 244
Evans, C., see McIver, K.L., **120** 161

Feeney, J.A., see Meredith, P.J., **120** 44
Fiedler, A., see Ainsworth, L., **120** 182
Fike, J.R., see Vit, J.-P., **120** 188
Finlay, D.R., see Albrecht, P.J., **120** 244
Fujikawa, H., see Maruo, K., **120** 106
Fontserè, J., see De Còrdoba, J.L., **120** 221

Gabay, E., see Wolf, G., **120** 315
Gandevia, S.C., see Henderson, L.A., **120** 286
Gangula, P., see Ambalavanar, R., **120** 53
Gelman, L.B., see Oaklander, A.L., **120** 235
Gibson, W., Arendt-Nielsen, L., Graven-Nielsen, T., Referred pain and hyperalgesia in human tendon and muscle belly tissue, **120** 113
Gilron, I., see Odrcich, M., **120** 207
Glover, G.C., see Ochsner, K.N., **120** 69
Gorback, M.S., Primum non nocere, **120** 221
Gott, R., see Oaklander, A.L., **120** 235
Graven-Nielsen, T., see Gibson, W., **120** 113
Green, A.L., see Owen, S.L.F., **120** 202

Hanelin, J., see Ochsner, K.N., **120** 69
Henderson, L.A., Bandler, R., Gandevia, S.C., Macefield, V.G., Distinct forebrain activity patterns during deep versus superficial pain, **120** 286
Hickner, R.C., see McIver, K.L., **120** 161
Hines, S., see Albrecht, P.J., **120** 244

doi:10.1016/S0304-3959(06)00036-4

Hu, J., Milenkovic, N., Lewin, G.R., The high threshold mechanotransducer: A status report, **120** 3

Ispas, L., see McIver, K.L., **120** 161

Jänig, W., Baron, R., Is CRPS I a neuropathic pain syndrome? **120** 227
Jasmin, L., see Vit, J.-P., **120** 188
Jensen, T.S., see Witting, N., **120** 145

Kääriä, S., Luukkonen, R., Riihimäki, H., Kirjonen, J., Leino-Arjas, P., Persistence of low back pain reporting among a cohort of employees in a metal corporation: A study with 5-, 10-, and 28-year follow-ups, **120** 131
Kanno, T., see Maruo, K., **120** 106
Kirjonen, J., see Kääriä, S., **120** 131
Klein, T., Magerl, W., Rolke, R., Treede, R.-D., Erratum to "Human surrogate models of neuropathic pain" [Pain 115 (2005) 227–233], **120** 224
Knierim, K., see Ochsner, K.N., **120** 69
Knowles, R.G., see De Alba, J., **120** 170
Kraus, R.M., see McIver, K.L., **120** 161
Kuijpers, T., van der Windt, D.A.W.M., Boeke, A.J.P., Twisk, J.W.R., Vergouwe, Y., Bouter, L.M., van der Heijden, G.J.M.G., Clinical prediction rules for the prognosis of shoulder pain in general practice, **120** 276
Kupers, R.C., see Witting, N., **120** 145

Landstrom, R., see Ainsworth, L., **120** 182
Lauwers, M.H., see Shi, L., **120** 307
Leeper, B.J., see Ainsworth, L., **120** 182
Leino-Arjas, P., see Kääriä, S., **120** 131
Lewin, G.R., see Hu, J., **120** 3
Lim, G., see Wang, S., **120** 78
Ling, W., see Athanasos, P., **120** 267
Lorenz, J., see Bingel, U., **120** 8
Lu, C.-R., see Lucifora, S., **120** 97
Lucifora, S., Willcockson, H.H., Lu, C.-R., Darstein, M., Phend, K.D., Valtschanoff, J.G., Rustioni, A., Presynaptic low- and high-affinity kainate receptors in nociceptive spinal afferents, **120** 97
Ludlow, D.H., see Ochsner, K.N., **120** 69
Luukkonen, R., see Kääriä, S., **120** 131

Macefield, V.G., see Henderson, L.A., **120** 286
Mackey, S.C., see Ochsner, K.N., **120** 69
Magerl, W., see Klein, T., **120** 224
Mao, J., see Wang, S., **120** 78
Maruo, K., Yamamoto, H., Yamamoto, S., Nagata, T., Fujikawa, H., Kanno, T., Yaguchi, T., Maruo, S., Yoshiya, S., Nishizaki, T., Modulation of P2X receptors via adrenergic pathways in rat dorsal root ganglion neurons after sciatic nerve injury, **120** 106
Maruo, S., see Maruo, K., **120** 106
McIver, K.L., Evans, C., Kraus, R.M., Ispas, L., Sciotti, V.M., Hickner, R.C., NO-mediated alterations in skeletal muscle nutritive blood flow and lactate metabolism in fibromyalgia, **120** 161
Meredith, P.J., Strong, J., Feeney, J.A., The relationship of adult attachment to emotion, catastrophizing, control, threshold and tolerance, in experimentally-induced pain, **120** 44
Michotte, Y., see Shi, L., **120** 307
Milenkovic, N., see Hu, J., **120** 3
Moeller, L., see Ainsworth, L., **120** 182
Moritani, M., see Ambalavanar, R., **120** 53
Moutanni, A., see Ambalavanar, R., **120** 53
Mutch, S., see Ainsworth, L., **120** 182

Nagata, T., see Maruo, K., **120** 106
Nishizaki, T., see Maruo, K., **120** 106

Oaklander, A.L., Rissmiller, J.G., Gelman, L.B., Zheng, L., Chang, Y., Gott, R., Evidence of focal small-fiber axonal degeneration in complex regional pain syndrome-I (reflex sympathetic dystrophy), **120** 235
Ochsner, K.N., Ludlow, D.H., Knierim, K., Hanelin, J., Ramachandran, T., Glover, G.C., Mackey, S.C., Neural correlates of individual differences in pain-related fear and anxiety, **120** 69
O'Dell, K., see Ainsworth, L., **120** 182
Odrcich, M., Bailey, J.M., Cahill, C.M., Gilron, I., Chronobiological characteristics of painful diabetic neuropathy and postherpetic neuralgia: Diurnal pain variation and effects of analgesic therapy, **120** 207
Ohara, P.T., see Vit, J.-P., **120** 188
Oostendorp, R.A.B., see Swinkels-Meewisse, I.E.J., **120** 36
Owen, S.L.F., Green, A.L., Stein, J.F., Aziz, T.Z., Deep brain stimulation for the alleviation of post-stroke neuropathic pain, **120** 202

Paré, M., see Albrecht, P.J., **120** 244
Pérez, M.À., see De Córdoba, J.L., **120** 221
Phend, K.D., see Lucifora, S., **120** 97
Pud, D., Sapir, S., The effects of noxious heat, auditory stimulation, a cognitive task, and time on task on pain perception and performance accuracy in healthy volunteers: A new experimental model, **120** 155
Pud, D., see Albrecht, P.J., **120** 244

Radhakrishnan, R., see Ainsworth, L., **120** 182
Ramachandran, T., see Ochsner, K.N., **120** 69
Raslan, A.M., Deep brain stimulation for chronic pain: Can it help? **120** 1
Rice, F.L., see Albrecht, P.J., **120** 244
Riihimäki, H., see Kääriä, S., **120** 131
Rissmiller, J.G., see Oaklander, A.L., **120** 235
Roelofs, J., see Swinkels-Meewisse, I.E.J., **120** 36
Rolke, R., see Klein, T., **120** 224
Ross, J., see Ainsworth, L., **120** 182
Roza, C., Belmonte, C., Viana, F., Cold sensitivity in axotomized fibers of experimental neuromas in mice, **120** 24
Rustioni, A., see Lucifora, S., **120** 97

Sapir, S., see Pud, D., **120** 155
Sarre, S., see Shi, L., **120** 307
Schoell, E., see Bingel, U., **120** 8
Sciotti, V.M., see McIver, K.L., **120** 161
Seminowicz, D.A., Davis, K.D., Cortical responses to pain in healthy individuals depends on pain catastrophizing, **120** 297
Shavit, Y., see Wolf, G., **120** 315
Shi, L., Smolders, I., Umbrain, V., Lauwers, M.H., Sarre, S., Michotte, Y., Zizi, M., Camu, F., Peripheral inflammation modifies the effect of intrathecal IL-1β on spinal PGE_2 production mainly through cyclooxygenase-2 activity. A spinal microdialysis study in freely moving rats, **120** 307
Shir, Y., see Villemure, C., **120** 213
Sluka, K.A., see Ainsworth, L., **120** 182
Small, D.M., Apkarian, A.V., Increased taste intensity perception exhibited by patients with chronic back pain, **120** 124
Smith, C.S., see Athanasos, P., **120** 267
Smolders, I., see Shi, L., **120** 307
Somogyi, A.A., see Athanasos, P., **120** 267
Stanford, E.A., Chambers, C.T., Craig, K.D., The role of developmental factors in predicting young children's use of a self-report scale for pain, **120** 16
Stein, J.F., see Owen, S.L.F., **120** 202
Strong, J., see Meredith, P.J., **120** 44

Sun, R.-Q., Tu, Y.-J., Yan, J.-Y., Willis, W.D., Activation of protein kinase B/Akt signaling pathway contributes to mechanical hypersensitivity induced by capsaicin, **120** 86
Sung, B., see Wang, S., **120** 78
Svensson, P., see Witting, N., **120** 145
Swinkels-Meewisse, I.E.J., Roelofs, J., Oostendorp, R.A.B., Verbeek, A.L.M., Vlaeyen, J.W.S., Acute low back pain: pain-related fear and pain catastrophizing influence physical performance and perceived disability, **120** 36

Tal, M., see Wolf, G., **120** 315
Tien, D.A., see Vit, J.-P., **120** 188
Treede, R.-D., see Klein, T., **120** 224
Tu, Y.-J., see Sun, R.-Q., **120** 86
Twisk, J.W.R., see Kuijpers, T., **120** 276

Umbrain, V., see Shi, L., **120** 307

Valtschanoff, J.G., see Lucifora, S., **120** 97
van der Heijden, G.J.M.G., see Kuijpers, T., **120** 276
van der Windt, D.A.W.M., see Kuijpers, T., **120** 276
Verbeek, A.L.M., see Swinkels-Meewisse, I.E.J., **120** 36
Vergouwe, Y., see Kuijpers, T., **120** 276
Viana, F., see Roza, C., **120** 24
Villemure, C., Wassimi, S., Bennett, G.J., Shir, Y., Bushnell, M.C., Unpleasant odors increase pain processing in a patient with neuropathic pain: Psychophysical and fMRI investigation, **120** 213
Vit, J.-P., Ohara, P.T., Tien, D.A., Fike, J.R., Eikmeier, L., Beitz, A., Wilcox, G.L., Jasmin, L., The analgesic effect of low dose focal irradiation in a mouse model of bone cancer is associated with spinal changes in neuro-mediators of nociception, **120** 188
Vlaeyen, J.W.S., see Swinkels-Meewisse, I.E.J., **120** 36

Wang, S., Lim, G., Yang, L., Sung, B., Mao, J., Downregulation of spinal glutamate transporter EAAC1 following nerve injury is regulated by central glucocorticoid receptors in rats, **120** 78
Wasner, G., Baron, R., Peripheral burning cold pain, **120** 325
Wassimi, S., see Villemure, C., **120** 213
Weiller, C., see Bingel, U., **120** 8
White, J.M., see Athanasos, P., **120** 267
Wilcox, G.L., see Vit, J.-P., **120** 188
Willcockson, H.H., see Lucifora, S., **120** 97
Willis, W.D., see Sun, R.-Q., **120** 86
Witting, N., Kupers, R.C., Svensson, P., Jensen, T.S., A PET activation study of brush-evoked allodynia in patients with nerve injury pain, **120** 145
Wolf, G., Gabay, E., Tal, M., Yirmiya, R., Shavit, Y., Genetic impairment of interleukin-1 signaling attenuates neuropathic pain, autotomy, and spontaneous ectopic neuronal activity, following nerve injury in mice, **120** 315
Wood, P.B., Mesolimbic dopaminergic mechanisms and pain control, **120** 230

Yaguchi, T., see Maruo, K., **120** 106
Yallampalli, C., see Ambalavanar, R., **120** 53
Yamamoto, H., see Maruo, K., **120** 106
Yamamoto, S., see Maruo, K., **120** 106
Yan, J.-Y., see Sun, R.-Q., **120** 86
Yang, L., see Wang, S., **120** 78
Yirmiya, R., see Wolf, G., **120** 315
Yoshiya, S., see Maruo, K., **120** 106

Zheng, L., see Oaklander, A.L., **120** 235
Zizi, M., see Shi, L., **120** 307

Pain 120 (2006) 331–335

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 120 (2006)

Acute low back pain
Acute low back pain: pain-related fear and pain catastrophizing influence physical performance and perceived disability, **120**, 36
Acute pain
The relationship of adult attachment to emotion, catastrophizing, control, threshold and tolerance, in experimentally-induced pain, **120**, 44
Adult attachment theory
The relationship of adult attachment to emotion, catastrophizing, control, threshold and tolerance, in experimentally-induced pain, **120**, 44
Allodynia
A PET activation study of brush-evoked allodynia in patients with nerve injury pain, **120**, 145
Allodynia
Downregulation of spinal glutamate transporter EAAC1 following nerve injury is regulated by central glucocorticoid receptors in rats, **120**, 78
Allodynia
Genetic impairment of interleukin-1 signaling attenuates neuropathic pain, autotomy, and spontaneous ectopic neuronal activity, following nerve injury in mice, **120**, 315
Amygdala
Mechanisms of placebo analgesia: rACC recruitment of a subcortical antinociceptive network, **120**, 8
Analgesic clinical trials
Chronobiological characteristics of painful diabetic neuropathy and postherpetic neuralgia: Diurnal pain variation and effects of analgesic therapy, **120**, 207
Antagonist
Deep tissue inflammation upregulates neuropeptides and evokes nociceptive behaviors which are modulated by a neuropeptide antagonist, **120**, 53
Antinociception
Methadone maintenance patients are cross-tolerant to the antinociceptive effects of very high plasma morphine concentrations, **120**, 267
Anxiety
Neural correlates of individual differences in pain-related fear and anxiety, **120**, 69
Anxiety sensitivity
Neural correlates of individual differences in pain-related fear and anxiety, **120**, 69
Assessment
The role of developmental factors in predicting young children's use of a self-report scale for pain, **120**, 16
Auditory stimulation
The effects of noxious heat, auditory stimulation, a cognitive task, and time on task on pain perception and performance accuracy in healthy volunteers: A new experimental model, **120**, 155
Autotomy
Genetic impairment of interleukin-1 signaling attenuates neuropathic pain, autotomy, and spontaneous ectopic neuronal activity, following nerve injury in mice, **120**, 315
Brain imaging
Neural correlates of individual differences in pain-related fear and anxiety, **120**, 69
Capsaicin
Activation of protein kinase B/Akt signaling pathway contributes to mechanical hypersensitivity induced by capsaicin, **120**, 86
Carrageenan
Transcutaneous electrical nerve stimulation (TENS) reduces chronic hyperalgesia induced by muscle inflammation, **120**, 182
Catastrophizing
The relationship of adult attachment to emotion, catastrophizing, control, threshold and tolerance, in experimentally-induced pain, **120**, 44
CGRP
Deep tissue inflammation upregulates neuropeptides and evokes nociceptive behaviors which are modulated by a neuropeptide antagonist, **120**, 53
Children
The role of developmental factors in predicting young children's use of a self-report scale for pain, **120**, 16
Chronic
Persistence of low back pain reporting among a cohort of employees in a metal corporation: A study with 5-, 10-, and 28-year follow-ups, **120**, 131
Chronic
Transcutaneous electrical nerve stimulation (TENS) reduces chronic hyperalgesia induced by muscle inflammation, **120**, 182
Chronic inflammation
GW274150, a novel and highly selective inhibitor of the inducible isoform of nitric oxide synthase (iNOS), shows analgesic effects in rat models of inflammatory and neuropathic pain, **120**, 170
Chronic pain
Increased taste intensity perception exhibited by patients with chronic back pain, **120**, 124
Chronic pain
Worrying about chronic pain. An examination of worry and problem solving in adults who identify as chronic pain sufferers, **120**, 138
Chronobiology
Chronobiological characteristics of painful diabetic neuropathy and postherpetic neuralgia: Diurnal pain variation and effects of analgesic therapy, **120**, 207
Chronotherapeutics
Chronobiological characteristics of painful diabetic neuropathy and postherpetic neuralgia: Diurnal pain variation and effects of analgesic therapy, **120**, 207

doi:10.1016/S0304-3959(06)00037-6

Cingulate
Distinct forebrain activity patterns during deep versus superficial pain, **120**, 286
Circadian rhythm
Chronobiological characteristics of painful diabetic neuropathy and postherpetic neuralgia: Diurnal pain variation and effects of analgesic therapy, **120**, 207
Circulation
NO-mediated alterations in skeletal muscle nutritive blood flow and lactate metabolism in fibromyalgia, **120**, 161
Clinical prediction rule
Clinical prediction rules for the prognosis of shoulder pain in general practice, **120**, 276
Cognitive task
The effects of noxious heat, auditory stimulation, a cognitive task, and time on task on pain perception and performance accuracy in healthy volunteers: A new experimental model, **120**, 155
Cohort study
Clinical prediction rules for the prognosis of shoulder pain in general practice, **120**, 276
Cold hyperalgesia
Cold sensitivity in axotomized fibers of experimental neuromas in mice, **120**, 24
Coldpressor
The relationship of adult attachment to emotion, catastrophizing, control, threshold and tolerance, in experimentally-induced pain, **120**, 44
Cold pressor test
Methadone maintenance patients are cross-tolerant to the antinociceptive effects of very high plasma morphine concentrations, **120**, 267
Complex regional pain syndrome
Evidence of focal small-fiber axonal degeneration in complex regional pain syndrome-I (reflex sympathetic dystrophy), **120**, 235
Coping
Cortical responses to pain in healthy individuals depends on pain catastrophizing, **120**, 297
COX-2
The analgesic effect of low dose focal irradiation in a mouse model of bone cancer is associated with spinal changes in neuro-mediators of nociception, **120**, 188
Cross-tolerance
Methadone maintenance patients are cross-tolerant to the antinociceptive effects of very high plasma morphine concentrations, **120**, 267
CRPS
Evidence of focal small-fiber axonal degeneration in complex regional pain syndrome-I (reflex sympathetic dystrophy), **120**, 235
Deep brain stimulatin
Deep brain stimulation for the alleviation of post-stroke neuropathic pain, **120**, 202
Deep tissue
Referred pain and hyperalgesia in human tendon and muscle belly tissue, **120**, 113
Development
The role of developmental factors in predicting young children's use of a self-report scale for pain, **120**, 16
Disability
Acute low back pain: pain-related fear and pain catastrophizing influence physical performance and perceived disability, **120**, 36
Diurnal variation
Chronobiological characteristics of painful diabetic neuropathy and postherpetic neuralgia: Diurnal pain variation and effects of analgesic therapy, **120**, 207
Dorsal horn
Activation of protein kinase B/Akt signaling pathway contributes to mechanical hypersensitivity induced by capsaicin, **120**, 86
Dorsal horn
Presynaptic low- and high-affinity kainate receptors in nociceptive spinal afferents, **120**, 97
Dorsal root ganglion
Modulation of P2X receptors via adrenergic pathways in rat dorsal root ganglion neurons after sciatic nerve injury, **120**, 106
Dorsal root ganglion
Presynaptic low- and high-affinity kainate receptors in nociceptive spinal afferents, **120**, 97
Dopamine
Mesolimbic dopaminergic mechanisms and pain control, **120**, 230
EAAC1
Downregulation of spinal glutamate transporter EAAC1 following nerve injury is regulated by central glucocorticoid receptors in rats, **120**, 78
Ectopic discharge
Genetic impairment of interleukin-1 signaling attenuates neuropathic pain, autotomy, and spontaneous ectopic neuronal activity, following nerve injury in mice, **120**, 315
Experimental pain
Referred pain and hyperalgesia in human tendon and muscle belly tissue, **120**, 113
Fear
Neural correlates of individual differences in pain-related fear and anxiety, **120**, 69
Fear of pain
Neural correlates of individual differences in pain-related fear and anxiety, **120**, 69
fMRI
Cortical responses to pain in healthy individuals depends on pain catastrophizing, **120**, 297
fMRI
Mechanisms of placebo analgesia: rACC recruitment of a subcortical antinociceptive network, **120**, 8
fMRI
Unpleasant odors increase pain processing in a patient with neuropathic pain: Psychophysical and fMRI investigation, **120**, 213
Formalin
Peripheral inflammation modifies the effect of intrathecal IL-1β on spinal PGE_2 production mainly through cyclooxygenase-2 activity. A spinal microdialysis study in freely moving rats, **120**, 307
Functional brain imaging
A PET activation study of brush-evoked allodynia in patients with nerve injury pain, **120**, 145
Glia
The analgesic effect of low dose focal irradiation in a mouse model of bone cancer is associated with spinal changes in neuro-mediators of nociception, **120**, 188
Glucocorticoid receptor
Downregulation of spinal glutamate transporter EAAC1 following nerve injury is regulated by central glucocorticoid receptors in rats, **120**, 78
Glutamate
Presynaptic low- and high-affinity kainate receptors in nociceptive spinal afferents, **120**, 97
Glutamate transporter
Downregulation of spinal glutamate transporter EAAC1 following nerve injury is regulated by central glucocorticoid receptors in rats, **120**, 78
Gustation
Increased taste intensity perception exhibited by patients with chronic back pain, **120**, 124
Healthy volunteers
The effects of noxious heat, auditory stimulation, a cognitive task, and time on task on pain perception and performance accuracy in healthy volunteers: A new experimental model, **120**, 155

Hippocampus
Mesolimbic dopaminergic mechanisms and pain control, **120**, 230
Human research
Evidence of focal small-fiber axonal degeneration in complex regional pain syndrome-I (reflex sympathetic dystrophy), **120**, 235
Hyperalgesia
Downregulation of spinal glutamate transporter EAAC1 following nerve injury is regulated by central glucocorticoid receptors in rats, **120**, 78
Hyperalgesia
Genetic impairment of interleukin-1 signaling attenuates neuropathic pain, autotomy, and spontaneous ectopic neuronal activity, following nerve injury in mice, **120**, 315
Hyperalgesia
GW274150, a novel and highly selective inhibitor of the inducible isoform of nitric oxide synthase (iNOS), shows analgesic effects in rat models of inflammatory and neuropathic pain, **120**, 170
Hyperalgesia
Methadone maintenance patients are cross-tolerant to the antinociceptive effects of very high plasma morphine concentrations, **120**, 267
Hyperalgesia
Peripheral inflammation modifies the effect of intrathecal IL-1β on spinal PGE_2 production mainly through cyclooxygenase-2 activity. A spinal microdialysis study in freely moving rats, **120**, 307
Hyperalgesia
Transcutaneous electrical nerve stimulation (TENS) reduces chronic hyperalgesia induced by muscle inflammation, **120**, 182
Hypertonic saline
Referred pain and hyperalgesia in human tendon and muscle belly tissue, **120**, 113
IL-1β
Peripheral inflammation modifies the effect of intrathecal IL-1β on spinal PGE_2 production mainly through cyclooxygenase-2 activity. A spinal microdialysis study in freely moving rats, **120**, 307
Immunohistochemistry
Pathologic alterations of cutaneous innervation and vasculature in affected limbs from patients with complex regional pain syndrome, **120**, 244
Inflammation
Transcutaneous electrical nerve stimulation (TENS) reduces chronic hyperalgesia induced by muscle inflammation, **120**, 182
iNOS
GW274150, a novel and highly selective inhibitor of the inducible isoform of nitric oxide synthase (iNOS), shows analgesic effects in rat models of inflammatory and neuropathic pain, **120**, 170
Insula
Distinct forebrain activity patterns during deep versus superficial pain, **120**, 286
Insula
Increased taste intensity perception exhibited by patients with chronic back pain, **120**, 124
Interleukin-1
Genetic impairment of interleukin-1 signaling attenuates neuropathic pain, autotomy, and spontaneous ectopic neuronal activity, following nerve injury in mice, **120**, 315
Intrathecal
Peripheral inflammation modifies the effect of intrathecal IL-1β on spinal PGE_2 production mainly through cyclooxygenase-2 activity. A spinal microdialysis study in freely moving rats, **120**, 307
Ketorolac
The analgesic effect of low dose focal irradiation in a mouse model of bone cancer is associated with spinal changes in neuro-mediators of nociception, **120**, 188
Low back pain
Persistence of low back pain reporting among a cohort of employees in a metal corporation: A study with 5-, 10-, and 28-year follow-ups, **120**, 131
McGill pain questionnaire
Deep brain stimulation for the alleviation of post-stroke neuropathic pain, **120**, 202
Medial prefrontal cortex
Neural correlates of individual differences in pain-related fear and anxiety, **120**, 69
Menthol
Cold sensitivity in axotomized fibers of experimental neuromas in mice, **120**, 24
Methadone maintenance treatment
Methadone maintenance patients are cross-tolerant to the antinociceptive effects of very high plasma morphine concentrations, **120**, 267
Microdialysis
NO-mediated alterations in skeletal muscle nutritive blood flow and lactate metabolism in fibromyalgia, **120**, 161
Modulation
Cortical responses to pain in healthy individuals depends on pain catastrophizing, **120**, 297
Morphine
The analgesic effect of low dose focal irradiation in a mouse model of bone cancer is associated with spinal changes in neuro-mediators of nociception, **120**, 188
Motor cortex
Distinct forebrain activity patterns during deep versus superficial pain, **120**, 286
Muscle
Deep tissue inflammation upregulates neuropeptides and evokes nociceptive behaviors which are modulated by a neuropeptide antagonist, **120**, 53
Muscle
Distinct forebrain activity patterns during deep versus superficial pain, **120**, 286
Muscle
NO-mediated alterations in skeletal muscle nutritive blood flow and lactate metabolism in fibromyalgia, **120**, 161
Muscle
Transcutaneous electrical nerve stimulation (TENS) reduces chronic hyperalgesia induced by muscle inflammation, **120**, 182
Musculoskeletal disorders
Clinical prediction rules for the prognosis of shoulder pain in general practice, **120**, 276
Nerve injury
Downregulation of spinal glutamate transporter EAAC1 following nerve injury is regulated by central glucocorticoid receptors in rats, **120**, 78
Neuroimaging
Cortical responses to pain in healthy individuals depends on pain catastrophizing, **120**, 297
Neuropathic pain
A PET activation study of brush-evoked allodynia in patients with nerve injury pain, **120**, 145
Neuropathic pain
Chronobiological characteristics of painful diabetic neuropathy and postherpetic neuralgia: Diurnal pain variation and effects of analgesic therapy, **120**, 207
Neuropathic pain
Cold sensitivity in axotomized fibers of experimental neuromas in mice, **120**, 24
Neuropathic pain
Downregulation of spinal glutamate transporter EAAC1 following nerve injury is regulated by central glucocorticoid receptors in rats, **120**, 78

Neuropathic pain
Genetic impairment of interleukin-1 signaling attenuates neuropathic pain, autotomy, and spontaneous ectopic neuronal activity, following nerve injury in mice, **120**, 315
Neuropathic pain
GW274150, a novel and highly selective inhibitor of the inducible isoform of nitric oxide synthase (iNOS), shows analgesic effects in rat models of inflammatory and neuropathic pain, **120**, 170
Neuropathic pain
Pathologic alterations of cutaneous innervation and vasculature in affected limbs from patients with complex regional pain syndrome, **120**, 244
Neuropathic pain
Unpleasant odors increase pain processing in a patient with neuropathic pain: Psychophysical and fMRI investigation, **120**, 213
Nitric Oxide
GW274150, a novel and highly selective inhibitor of the inducible isoform of nitric oxide synthase (iNOS), shows analgesic effects in rat models of inflammatory and neuropathic pain, **120**, 170
Noradrenaline
Modulation of P2X receptors via adrenergic pathways in rat dorsal root ganglion neurons after sciatic nerve injury, **120**, 106
Nucleus accumbens
Mesolimbic dopaminergic mechanisms and pain control, **120**, 230
Odors
Unpleasant odors increase pain processing in a patient with neuropathic pain: Psychophysical and fMRI investigation, **120**, 213
Orbitofrontal cortex
A PET activation study of brush-evoked allodynia in patients with nerve injury pain, **120**, 145
Orbitofrontal cortex
Neural correlates of individual differences in pain-related fear and anxiety, **120**, 69
Osteosarcoma
The analgesic effect of low dose focal irradiation in a mouse model of bone cancer is associated with spinal changes in neuro-mediators of nociception, **120**, 188
P2X
Presynaptic low- and high-affinity kainate receptors in nociceptive spinal afferents, **120**, 97
P2X receptor
Modulation of P2X receptors via adrenergic pathways in rat dorsal root ganglion neurons after sciatic nerve injury, **120**, 106
PAG
Mechanisms of placebo analgesia: rACC recruitment of a subcortical antinociceptive network, **120**, 8
Pain
Activation of protein kinase B/Akt signaling pathway contributes to mechanical hypersensitivity induced by capsaicin, **120**, 86
Pain
Deep tissue inflammation upregulates neuropeptides and evokes nociceptive behaviors which are modulated by a neuropeptide antagonist, **120**, 53
Pain
Distinct forebrain activity patterns during deep versus superficial pain, **120**, 286
Pain
Mechanisms of placebo analgesia: rACC recruitment of a subcortical antinociceptive network, **120**, 8
Pain
Neural correlates of individual differences in pain-related fear and anxiety, **120**, 69
Pain
NO-mediated alterations in skeletal muscle nutritive blood flow and lactate metabolism in fibromyalgia, **120**, 161
Pain
The analgesic effect of low dose focal irradiation in a mouse model of bone cancer is associated with spinal changes in neuro-mediators of nociception, **120**, 188
Pain
The role of developmental factors in predicting young children's use of a self-report scale for pain, **120**, 16
Pain behavior
Neural correlates of individual differences in pain-related fear and anxiety, **120**, 69
Pain catastrophizing
Acute low back pain: pain-related fear and pain catastrophizing influence physical performance and perceived disability, **120**, 36
Pain modulation
Unpleasant odors increase pain processing in a patient with neuropathic pain: Psychophysical and fMRI investigation, **120**, 213
Pain perception
The effects of noxious heat, auditory stimulation, a cognitive task, and time on task on pain perception and performance accuracy in healthy volunteers: A new experimental model, **120**, 155
Pain-related fear
Acute low back pain: pain-related fear and pain catastrophizing influence physical performance and perceived disability, **120**, 36
Performance
Acute low back pain: pain-related fear and pain catastrophizing influence physical performance and perceived disability, **120**, 36
Peripheral inflammation
Peripheral inflammation modifies the effect of intrathecal IL-1β on spinal PGE_2 production mainly through cyclooxygenase-2 activity. A spinal microdialysis study in freely moving rats, **120**, 307
Persistence
Persistence of low back pain reporting among a cohort of employees in a metal corporation: A study with 5-, 10-, and 28-year follow-ups, **120**, 131
PGE_2
Peripheral inflammation modifies the effect of intrathecal IL-1β on spinal PGE_2 production mainly through cyclooxygenase-2 activity. A spinal microdialysis study in freely moving rats, **120**, 307
PGP9.5
Evidence of focal small-fiber axonal degeneration in complex regional pain syndrome-I (reflex sympathetic dystrophy), **120**, 235
Phosphoinositide 3-kinase
Activation of protein kinase B/Akt signaling pathway contributes to mechanical hypersensitivity induced by capsaicin, **120**, 86
Phosphorylation
Activation of protein kinase B/Akt signaling pathway contributes to mechanical hypersensitivity induced by capsaicin, **120**, 86
Placebo
Mechanisms of placebo analgesia: rACC recruitment of a subcortical antinociceptive network, **120**, 8
Plasma morphine
Methadone maintenance patients are cross-tolerant to the antinociceptive effects of very high plasma morphine concentrations, **120**, 267
Post-stroke pain
Deep brain stimulation for the alleviation of post-stroke neuropathic pain, **120**, 202
PPI
Mechanisms of placebo analgesia: rACC recruitment of a subcortical antinociceptive network, **120**, 8
Pressure pain threshold
Referred pain and hyperalgesia in human tendon and muscle belly tissue, **120**, 113
Problem solving
Worrying about chronic pain. An examination of worry and problem solving in adults who identify as chronic pain sufferers, **120**, 138

Prognosis
Clinical prediction rules for the prognosis of shoulder pain in general practice, **120**, 276
Proinflammatory cytokines
Genetic impairment of interleukin-1 signaling attenuates neuropathic pain, autotomy, and spontaneous ectopic neuronal activity, following nerve injury in mice, **120**, 315
Prospective study
Persistence of low back pain reporting among a cohort of employees in a metal corporation: A study with 5-, 10-, and 28-year follow-ups, **120**, 131
Protein kinase
Activation of protein kinase B/Akt signaling pathway contributes to mechanical hypersensitivity induced by capsaicin, **120**, 86
Protein kinase C
Modulation of P2X receptors via adrenergic pathways in rat dorsal root ganglion neurons after sciatic nerve injury, **120**, 106
Psychosocial factors
Clinical prediction rules for the prognosis of shoulder pain in general practice, **120**, 276
rACC
Mechanisms of placebo analgesia: rACC recruitment of a subcortical antinociceptive network, **120**, 8
Rat
Peripheral inflammation modifies the effect of intrathecal IL-1β on spinal PGE_2 production mainly through cyclooxygenase-2 activity. A spinal microdialysis study in freely moving rats, **120**, 307
Rat
Transcutaneous electrical nerve stimulation (TENS) reduces chronic hyperalgesia induced by muscle inflammation, **120**, 182
Recurrence
Persistence of low back pain reporting among a cohort of employees in a metal corporation: A study with 5-, 10-, and 28-year follow-ups, **120**, 131
Reorganization
A PET activation study of brush-evoked allodynia in patients with nerve injury pain, **120**, 145
RSD
Evidence of focal small-fiber axonal degeneration in complex regional pain syndrome-I (reflex sympathetic dystrophy), **120**, 235
RSD
Pathologic alterations of cutaneous innervation and vasculature in affected limbs from patients with complex regional pain syndrome, **120**, 244
Sciatic nerve injury
Modulation of P2X receptors via adrenergic pathways in rat dorsal root ganglion neurons after sciatic nerve injury, **120**, 106
Self-report
The role of developmental factors in predicting young children's use of a self-report scale for pain, **120**, 16
Sensitivity
Increased taste intensity perception exhibited by patients with chronic back pain, **120**, 124
Sensory testing
A PET activation study of brush-evoked allodynia in patients with nerve injury pain, **120**, 145
Shoulder
Clinical prediction rules for the prognosis of shoulder pain in general practice, **120**, 276
Skin biopsy
Evidence of focal small-fiber axonal degeneration in complex regional pain syndrome-I (reflex sympathetic dystrophy), **120**, 235
Somatosensory cortex
Distinct forebrain activity patterns during deep versus superficial pain, **120**, 286
Spinal microdialysis
Peripheral inflammation modifies the effect of intrathecal IL-1β on spinal PGE_2 production mainly through cyclooxygenase-2acti-vity. A spinal microdialysis study in freely moving rats, **120**, 307
Stress
Mesolimbic dopaminergic mechanisms and pain control, **120**, 230
Temporal summation
Substance P
Deep tissue inflammation upregulates neuropeptides and evokes nociceptive behaviors which are modulated by a neuropeptide antagonist, **120**, 53
Substance P
Presynaptic low- and high-affinity kainate receptors in nociceptive spinal afferents, **120**, 97
Sympathetic system
Unpleasant odors increase pain processing in a patient with neuropathic pain: Psychophysical and fMRI investigation, **120**, 213
Synesthesia
Unpleasant odors increase pain processing in a patient with neuropathic pain: Psychophysical and fMRI investigation, **120**, 213
Referred pain and hyperalgesia in human tendon and muscle belly tissue, **120**, 113
Tendon
Referred pain and hyperalgesia in human tendon and muscle belly tissue, **120**, 113
TENS
Transcutaneous electrical nerve stimulation (TENS) reduces chronic hyperalgesia induced by muscle inflammation, **120**, 182
Thresholds
Increased taste intensity perception exhibited by patients with chronic back pain, **120**, 124
Tonic/phasic model
Mesolimbic dopaminergic mechanisms and pain control, **120**, 230
Trigeminal
Deep tissue inflammation upregulates neuropeptides and evokes nociceptive behaviors which are modulated by a neuropeptide antagonist, **120**, 53
TRPM8
Cold sensitivity in axotomized fibers of experimental neuromas in mice, **120**, 24
Ventral tegmental area
Mesolimbic dopaminergic mechanisms and pain control, **120**, 230
Vigilance
Cortical responses to pain in healthy individuals depends on pain catastrophizing, **120**, 297
Worry
Worrying about chronic pain. An examination of worry and problem solving in adults who identify as chronic pain sufferers, **120**, 138

Pain 120 (2006) 336–338

PAIN

www.elsevier.com/locate/pain

Contents to Volume 120 (2006)

Numbers 1,2 – January 2006

EDITORIAL

Deep brain stimulation for chronic pain: Can it help?
A.M. Raslan (USA) 1

TOPICAL REVIEW

The high threshold mechanotransducer: A status report
J. Hu, N. Milenkovic, G.R. Lewin (Germany) 3

RESEARCH PAPERS

Mechanisms of placebo analgesia: rACC recruitment of a subcortical antinociceptive network
U. Bingel, J. Lorenz, E. Schoell, C. Weiller, C. Büchel (Germany) 8
The role of developmental factors in predicting young children's use of a self-report scale for pain
E.A. Stanford, C.T. Chambers, K.D. Craig (Canada) 16
Cold sensitivity in axotomized fibers of experimental neuromas in mice
C. Roza, C. Belmonte, F. Viana (Spain) 24
Acute low back pain: pain-related fear and pain catastrophizing influence physical performance and perceived disability
I.E.J. Swinkels-Meewisse, J. Roelofs, R.A.B. Oostendorp, A.L.M. Verbeek, J.W.S. Vlaeyen (The Netherland) 36
The relationship of adult attachment to emotion, catastrophizing, control, threshold and tolerance, in experimentally-induced pain
P.J. Meredith, J. Strong, J.A. Feeney (Australia) 44
Deep tissue inflammation upregulates neuropeptides and evokes nociceptive behaviors which are modulated by a neuropeptide antagonist
R. Ambalavanar, M. Moritani, A. Moutanni, P. Gangula, C. Yallampalli, D. Dessem (USA, Japan) 53
Neural correlates of individual differences in pain-related fear and anxiety
K.N. Ochsner, D.H. Ludlow, K. Knierim, J. Hanelin, T. Ramachandran, G.C. Glover, S.C. Mackey (USA) 69
Downregulation of spinal glutamate transporter EAAC1 following nerve injury is regulated by central glucocorticoid receptors in rats
S. Wang, G. Lim, L. Yang, B. Sung, J. Mao (USA) 78
Activation of protein kinase B/Akt signaling pathway contributes to mechanical hypersensitivity induced by capsaicin
R.-Q. Sun, Y.-J. Tu, J.-Y. Yan, W.D. Willis (USA) 86
Presynaptic low- and high-affinity kainate receptors in nociceptive spinal afferents
S. Lucifora, H.H. Willcockson, C.-R. Lu, M. Darstein, K.D. Phend, J.G. Valtschanoff, A. Rustioni (USA, Italy, Germany) 97
Modulation of P2X receptors via adrenergic pathways in rat dorsal root ganglion neurons after sciatic nerve injury
K. Maruo, H. Yamamoto, S. Yamamoto, T. Nagata, H. Fujikawa, T. Kanno, T. Yaguchi, S. Maruo, S. Yoshiya, T. Nishizaki (Japan) 106
Referred pain and hyperalgesia in human tendon and muscle belly tissue
W. Gibson, L. Arendt-Nielsen, T. Graven-Nielsen (Denmark) 113
Increased taste intensity perception exhibited by patients with chronic back pain
D.M. Small, A.V. Apkarian (USA) 124
Persistence of low back pain reporting among a cohort of employees in a metal corporation: A study with 5-, 10-, and 28-year follow-ups
S. Kääriä, R. Luukkonen, H. Riihimäki, J. Kirjonen, P. Leino-Arjas (Finland) 131
Worrying about chronic pain. An examination of worry and problem solving in adults who identify as chronic pain sufferers
P. De Vlieger, G. Crombez, C. Eccleston (Belgium, The Netherland, UK) 138
A PET activation study of brush-evoked allodynia in patients with nerve injury pain
N. Witting, R.C. Kupers, P. Svensson, T.S. Jensen (Denmark) 145
The effects of noxious heat, auditory stimulation, a cognitive task, and time on task on pain perception and performance accuracy in healthy volunteers: A new experimental model
D. Pud, S. Sapir (Israel) 155
NO-mediated alterations in skeletal muscle nutritive blood flow and lactate metabolism in fibromyalgia
K.L. McIver, C. Evans, R.M. Kraus, L. Ispas, V.M. Sciotti, R.C. Hickner (USA) 161
GW274150, a novel and highly selective inhibitor of the inducible isoform of nitric oxide synthase (iNOS), shows analgesic effects in rat models of inflammatory and neuropathic pain
J. De Alba, N.M. Clayton, S.D. Collins, P. Colthup, I. Chessell, R.G. Knowles (UK) 170

doi:10.1016/S0304-3959(06)00038-8

Transcutaneous electrical nerve stimulation (TENS) reduces chronic hyperalgesia induced by muscle inflammation
L. Ainsworth, K. Budelier, M. Clinesmith, A. Fiedler, R. Landstrom, B.J. Leeper, L. Moeller, S. Mutch, K. O'Dell, J. Ross, R. Radhakrishnan, K.A. Sluka (USA) 182
The analgesic effect of low dose focal irradiation in a mouse model of bone cancer is associated with spinal changes in neuro-mediators of nociception
J.-P. Vit, P.T. Ohara, D.A. Tien, J.R. Fike, L. Eikmeier, A. Beitz, G.L. Wilcox, L. Jasmin (USA) 188

CLINICAL NOTES

Deep brain stimulation for the alleviation of post-stroke neuropathic pain
S.L.F. Owen, A.L. Green, J.F. Stein, T.Z. Aziz (UK) 202
Chronobiological characteristics of painful diabetic neuropathy and postherpetic neuralgia: Diurnal pain variation and effects of analgesic therapy
M. Odrcich, J.M. Bailey, C.M. Cahill, I. Gilron (Canada) 207
Unpleasant odors increase pain processing in a patient with neuropathic pain: Psychophysical and fMRI investigation
C. Villemure, S. Wassimi, G.J. Bennett, Y. Shir, M.C. Bushnell (Canada) 213

LETTERS TO THE EDITOR

Primum non nocere
M.S. Gorback (USA) 221
Response to Dr Gorback
S.H. Butler (Sweden) 221
Spinal injections: Getting hold of the wrong end of the stick
J.L. De Córdoba, M.À. Pérez, J. Fontserè (Spain) 221
Response to Dr De Córdoba et al.
S.H. Butler (Sweden) 223

ERRATUM

Erratum to "Human surrogate models of neuropathic pain" [Pain 115 (2005) 227–233]
T. Klein, W. Magerl, R. Rolke, R.-D. Treede (Germany) 224

Number 3 – February 2006

EDITORIAL

Is CRPS I a neuropathic pain syndrome?
W. Jänig, R. Baron (Germany) 227

TOPICAL REVIEW

Mesolimbic dopaminergic mechanisms and pain control
P.B. Wood (USA) 230

RESEARCH PAPERS

Evidence of focal small-fiber axonal degeneration in complex regional pain syndrome-I (reflex sympathetic dystrophy)
A.L. Oaklander, J.G. Rissmiller, L.B. Gelman, L. Zheng, Y. Chang, R. Gott (USA) 235
Pathologic alterations of cutaneous innervation and vasculature in affected limbs from patients with complex regional pain syndrome
P.J. Albrecht, S. Hines, E. Eisenberg, D. Pud, D.R. Finlay, M.K. Connolly, M. Paré, G. Davar, F.L. Rice (USA, Israel) 244
Methadone maintenance patients are cross-tolerant to the antinociceptive effects of very high plasma morphine concentrations
P. Athanasos, C.S. Smith, J.M. White, A.A. Somogyi, F. Bochner, W. Ling (Australia, USA) 267
Clinical prediction rules for the prognosis of shoulder pain in general practice
T. Kuijpers, D.A.W.M. van der Windt, A.J.P. Boeke, J.W.R. Twisk, Y. Vergouwe, L.M. Bouter, G.J.M.G. van der Heijden (The Netherlands) 276
Distinct forebrain activity patterns during deep versus superficial pain
L.A. Henderson, R. Bandler, S.C. Gandevia, V.G. Macefield (Australia) 286
Cortical responses to pain in healthy individuals depends on pain catastrophizing
D.A. Seminowicz, K.D. Davis (Canada) 297
Peripheral inflammation modifies the effect of intrathecal IL-1β on spinal PGE_2 production mainly through cyclooxygenase-2 activity. A spinal microdialysis study in freely moving rats
L. Shi, I. Smolders, V. Umbrain, M.H. Lauwers, S. Sarre, Y. Michotte, M. Zizi, F. Camu (Belgium) 307
Genetic impairment of interleukin-1 signaling attenuates neuropathic pain, autotomy, and spontaneous ectopic neuronal activity, following nerve injury in mice
G. Wolf, E. Gabay, M. Tal, R. Yirmiya, Y. Shavit (Israel) 315

LETTERS TO THE EDITOR

Peripheral burning cold pain
G. Wasner, R. Baron (Germany) 325

Response to Drs. Wasner and Baron
D. Bowsher (UK) 325
Laser guns and hot plates revisited
K.L. Casey (USA) 326

Author Index to Volume 120 328

Subject Index to Volume 120 331

Contents to Volume 120 336